



intAct Traktion-Power PzS

Closed lead-acid battery with armored plates | filled and charged | low maintenance

Art.No.

06TP320

Volt	6V
Capacity	320 Ah (c5), 425 Ah (c20)
CCR -18°C (EN)	-
Electrolyte	diluted sulphuric acid
Electrolyte density	1,28 +/- 0,01 Kg/I (25° C)
Size (LxWxH)	312 x 180 x 359 mm
Weight	50,5 kg
Pos. of Terminal	0
Terminal	1
Bodenleiste	-









Usage




For the heaviest loads

These armored plate batteries have been specially developed for the most demanding applications. Whether as a traction battery in multi-shift operation, in work platforms for outdoor use or as a storage battery in smaller solar or wind power systems - these batteries can withstand the most adverse conditions. Our recommendation for the heaviest applications with the highest demands on the battery.

- » For heavy professional cyclic use: 1,000 cycles according to IEC 254-1.
- » More cycle-resistant than comparable standard lead-acid batteries gwith grid plate technology.
- » Armored plate technology: Robust and technically mature for the heaviest loads.
- » Particularly resistant to shocks in uneven outdoor use. Tubes protect active material like armor.
- **>> Long service life.** Even in 2 to 3-shift operation. Durable, safe and reliable.

Size
Kasten: 06TP320



Terminal 1

Bodenleiste -

As of 25.12.2025

