



# intAct Flooded-Power - Marine & Leisure

Closed lead-acid battery with reinforced grid plates | filled and charged | low maintenance

Art.No.

## SP140GUG

|                     |  |
|---------------------|--|
| Volt                | 12V                                      |
| Capacity            | 115 Ah (c5), 125 Ah (c20), 140 Ah (c100) |
| CCR -18°C (EN)      | -  |
| Electrolyte         | diluted sulphuric acid                   |
| Electrolyte density | 1,28 +/- 0,01 Kg/l (25° C)               |
| Size (LxWxH)        | 513 x 189 x 223 mm                       |
| Weight              | 37 kg                                    |
| Pos. of Terminal    | 3  |
| Terminal            | 1  |
| Bodenleiste         | -  |

### Usage




## intAct Flooded-Power - Marine & Leisure

Reliable wet-cell battery with good capacity absorption, high capacity reserves and proven technology - ideal for use in leisure, hobby and on the water.


- » **Filled and charged. Ready for immediate use.**
- » **Light cyclical use.** 300 cycles according to IEC 254-1.
- » **Reinforced special-insulation grid plates** with high mass utilisation for maximum capacity reserves.
- » Robust, technically uncomplicated, mature technology for **applications with low, reliable power requirements.**
- » **Ideal for stand-by operation.**
- » **Excellent value for money.** Durable, safe and reliable.




Size



Pos. of Terminal 3



Terminal 1



Bodenleiste -

As of 27.04.2026